

### Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims

1. (Currently Amended) A data structure generation system comprising:  
  
a plurality of data structure components, each data structure component configured to have a precedence defining an override level of the data structure component, to include one or more embedded rules, and to include content; and  
  
a computer-implemented knowledge base configured to be coupled to a data structure assembly facility, the knowledge base configured to store the plurality of data structure components as objects in an object-relational hierarchy, ~~each object configurable to have a precedence, to include one or more rules, and to include content.~~
2. (Original) A system as claimed in claim 1, wherein the precedence provides hierarchical control of content to match business preferences.
3. (Currently Amended) A system as claimed in claim 1, further comprising a first set of objects, a second set of objects, and a third set of objects, the first set of objects having a first, read-only precedence level, the second set of objects having a second precedence level ~~that is~~ higher than the first precedence level, and the third set of objects having a third precedence level ~~that is~~ higher than the second precedence level.
4. (Original) A system as claimed in claim 3, further comprising a data structure assembly facility.
5. (Currently Amended) A system as claimed in claim 4, wherein the assembly facility is operable configured to retrieve one or more data structure components from the knowledge base ~~based on a transaction identifier~~; process the one or more data structure components in a processor to generate a tree having a root node; process the tree beginning at the root node; and to override objects of low precedence with objects of high precedence.

6. (Currently Amended) A system as claimed in claim 5, wherein the assembly facility is operable-configured to; when a an object having a rule is encountered, evaluate the rule and replace the rule ~~it~~ with a value.
7. (Original) A system as claimed in claim 4, further comprising an authoring tool and a content management system.
8. (Currently Amended) A system as claimed in claim 7, wherein the content management system is configured to permit a user to create a version of an object in the first set of objects, and save the version of the object at a precedence ~~that is~~ different than the first precedence level.
9. (Original) A system as claimed in claim 7, wherein the content management system is configured to permit a user to create a version of an object in the first set of objects where the version of the object and the object at a different precedence level have the same name.
10. (Original) A system as claimed in claim 1, wherein each object is configurable to be locked in order to prevent overriding by an object having a higher precedence level.
11. (Currently Amended) A computer-implemented knowledge base configured to store data structure components as objects in an object-relational hierarchy, each object configured ~~configurable~~ to have a precedence defining an override level of the object, to include one or more embedded rules, and to include content.
12. (Currently Amended) A knowledge base as claimed in claim 11, further comprising a first set of data components stored as objects, a second set of data components stored as objects, and a third set of data components stored as objects, the first set of data components stored as objects having a first, read-only precedence level, the second set of data components stored as objects having a second precedence level ~~that is higher lower~~ than the first precedence level, and the third set of data components stored as objects having a third precedence level ~~that is higher lower~~ than the second precedence level.
13. (Currently Amended) A knowledge base as claimed in claim 12, wherein each data component stored as an object is configurable to be locked in order to prevent overriding by an object having a higher precedence level.

14. (Currently Amended) A computer-implemented method of assembling a data structure from a group of components, the method comprising:

retrieving one or more cross-referenced data structure components from a database, the one or more data structure components configured to have a precedence level defining an override level for the one or more data structure components;

processing the one or more cross-referenced data structure components in a processor to generate a tree having a root node;

processing the tree beginning at the root node; and

overriding objects of low precedence with objects of high precedence to create a resulting tree.

15. (Original) A method as claimed in claim 14, further comprising creating a transaction data set.

16. (Currently Amended) A method as claimed in claim 15, wherein retrieving one or more cross-referenced data structure components from a database ~~including~~ includes retrieving the same based on the transaction data set.

17. (Original) A method as claimed in claim 15, wherein the one or more data structure components are configured to include one or more rules.

18. (Currently Amended) A method as claimed in claim 15, further comprising, when a rule is encountered, evaluating the rule and replacing the rule ~~it~~ with a value.

19. (Cancelled)

20. (Currently Amended) A method as claimed in claim 19 ~~14~~, further comprising configuring each data structure component to be lockable in order to prevent overriding by an object having a higher precedence level.

21. (Currently Amended) A method as claimed in claim ~~19~~ 14, further comprising configuring the database so that it may include a first set of data structure components, a second set of data structure components, and a third set of data structure components, the first set of data

structure components having a first, read-only precedence level, the second set of data structure components having a second precedence level ~~that is~~ higher than the first precedence level, and the third set of data structure components having a third precedence level ~~that is~~ higher than the second precedence level

22. (Currently Amended) A computer readable medium containing instructions for generating a data structure by

retrieving one or more cross-referenced data structure components from a computer-implemented database, each of the one or more data structure components configured to have a precedence level defining an override level for the data structure component;

processing the one or more cross-referenced data structure components in a processor to generate a tree having a root node;

processing the tree beginning at the root node;

overriding objects of low precedence with objects of high precedence to create a resulting tree; and

transforming the resulting tree into a data structure representing a document.

23. (Currently Amended) A computer readable medium as claimed in claim 22, further comprising instructions for structuring the one or more data structures ~~to so that they may~~ include one or more embedded rules.

24. (Currently Amended) A computer readable medium as claimed in claim 23, further comprising instructions for processing the one or more data structures components by evaluating a rule and replacing the rule with a value so that when a the rule is encountered, the rule is ~~evaluated and replaced with a value.~~